

**Cc:** Shore, Berry[Shore.Berry@epa.gov]  
**To:** jed.bullock@nih.gov[jed.bullock@nih.gov]  
**From:** Enck, Judith  
**Sent:** Sat 7/9/2016 8:10:38 PM  
**Subject:** Pfoa

Hi Jed. Below are some news clippings from the Friday meeting in Hoosick Falls and beyond. Please thank Dr. Fenton for masking the trip and cutting her vacation short. EPA Region 2 is available to brief you or others from your agency on our experience in Hoosick Falls and Petersburg, New York with PFOA. We are also dealing with a serious PFOS contamination problem in the public water supply in Newburgh, New York. The residents there are all now on an alternative water supply which is available for one year. Great connecting again. Best,  
Judith

**From:** Google Alerts <googlealerts-noreply@google.com>  
**Date:** July 9, 2016 at 4:01:25 PM EDT  
**To:** [enck.judith@epa.gov](mailto:enck.judith@epa.gov)  
**Subject:** Google Alert - PFOA

## PFOA

Daily update ▢ July 9, 2016

### NEWS

Albany Times Union

#### Senator hears PFOA fears

Albany Times Union

U.S. Senator Kirsten Gillibrand wipes tears from her eyes as she listens to Hoosick resident Emily Mapes tell how the **PFOA** contamination has ...

[Gillibrand seeks ongoing health monitoring in PFOA-affected areas - Glens Falls Post-Star](#)

[N.Y. Sen. Gillibrand meets with local residents on PFOA contamination - Berkshire Eagle \(subscription\)](#)

[NY / Region|New York Senate to Hold Hearings on Hoosick Falls's Tainted Water - New York Times](#)

[Full Coverage](#)

   [Flag as irrelevant](#)

[PFOA and PFOS detected in Neshaminy Creek](#)

The Intelligencer

The results show perfluorooctane sulfonate (PFOS) present at 14 parts per trillion (ppt) and perfluorooctanoic acid (**PFOA**) at 6.6 ppt in the water pulled ...

   [Flag as irrelevant](#)

[BRIEF-Dupont statement on PFOA personal injury trials](#)

Reuters

... dupont says co will appeal. \* Dupont statement on **pfoa** personal injury trials Source text ([bit.ly/29nrTuY](http://bit.ly/29nrTuY)) (Bengaluru Newsroom; +1 646 223 8780; ).

   [Flag as irrelevant](#)

News Version Print

[Back to top](#)

## US jury awards more damages in DuPont Teflon case

ICIS

The feedstocks involved in the lawsuit are perfluorooctanoic acid (**PFOA**) and its ammonium salt, called C-8.

Up until the fourth quarter of 2014, **PFOA** ...

Jury awards \$500000 in punitive damages in C8 case - Charleston Gazette-Mail (subscription)

Full Coverage

   [Flag as irrelevant](#)

[Search this site](#)  
[View all PFOA](#)  
[Google Alert](#)  
[Subscribe to RSS](#)

## Test results show Sammamish water safe to drink

Issaquah Reporter

PFCs have been in the press recently after a New York Times Magazine article identified known sites for PFOS/**PFOA** detection in the U.S. The "safe" ...

   [Flag as irrelevant](#)

WEB

## Gillibrand Attends **PFOA** Panel In Hoosick Falls

WAMC

New York U.S. Senator Kirsten Gillibrand traveled to Hoosick Falls today to hear the personal stories of people affected by the **PFOA** contamination ...

   [Flag as irrelevant](#)

BRIEF-Dupont statement on **PFOA** personal injury trials

MSN.com

Dupont. \* On July 8, in second phase of freeman trial, jury awarded \$0.5 million in punitive damages plus attorneys' fees; dupont says co will appeal.

   [Flag as irrelevant](#)



You have received this email because you have subscribed to **Google Alerts**.

[Unsubscribe](#)

[Receive this alert as RSS feed](#)

[Send Feedback](#)